

PALM INTRANET

Day : Monday
 Date: 5/1/2006
 Time: 12:50:40

Inventor Name Search Result

Your Search was:

Last Name = TAKAHASHI

First Name = YOSHIMI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>06518523</u>	<u>4566323</u>	150	07/29/1983	LIQUID HELIUM LEVEL INDICATING GAUGE	TAKAHASHI, YOSHIMI
<u>06686540</u>	<u>4755899</u>	150	12/26/1984	MAGNETIC TRANSDUCER HEAD HAVING AN ALLOY THIN FILM OF HIGH SATURATION MAGNETIC FLUX DENSITY SLANTLY PROVIDED WITH RESPECT TO AN OPERATING MAGNETIC GAP FORMED THEREIN	TAKAHASHI, YOSHIMI
<u>07156751</u>	<u>4830525</u>	150	02/18/1988	TYPEWRITER WITH PIVOTING KEYBOARD	TAKAHASHI, YOSHIMI
<u>07468858</u>	<u>5144900</u>	150	01/19/1990	CONTROL DEVICE FOR SEWING MACHINE	TAKAHASHI, YOSHIMI
<u>08144259</u>	Not Issued	161	11/01/1993	FERRITE RESIN	TAKAHASHI, YOSHIMI
<u>08355773</u>	<u>5671248</u>	150	12/14/1994	SPREAD SPECTRUM COMMUNICATION EQUIPMENT	TAKAHASHI, YOSHIMI
<u>08423661</u>	<u>5663981</u>	150	04/17/1995	RADIO COMMUNICATION APPARATUS	TAKAHASHI, YOSHIMI
<u>08451770</u>	Not Issued	161	05/26/1995	TWO-NEEDLE TYPE SEWING MACHINE	TAKAHASHI, YOSHIMI
<u>08487099</u>	<u>5603272</u>	150	06/07/1995	TWO-NEEDLE TYPE SEWING MACHINE	TAKAHASHI, YOSHIMI
<u>08870557</u>	<u>5838721</u>	250	06/06/1997	SPREAD SPECTRUM COMMUNICATION EQUIPMENT	TAKAHASHI, YOSHIMI
<u>10267275</u>	<u>7009819</u>	150	10/09/2002	MAGNETIC REPRODUCING HEAD HAVING A STRUCTURE TO INHIBIT ELECTROSTATIC DISCHARGE DAMAGE TO A RECORDING TAPE	TAKAHASHI, YOSHIMI
<u>10633695</u>	Not Issued	41	08/05/2003	Telephone equipped with speaker	TAKAHASHI, YOSHIMI
<u>10791037</u>	Not Issued	71	03/02/2004	System and method for forming mold caps over integrated circuit devices	TAKAHASHI, YOSHIMI
<u>11117207</u>	<u>6985336</u>	150	04/28/2005	MAGNETIC REPRODUCING HEAD HAVING A STRUCTURE TO INHIBIT ELECTROSTATIC DISCHARGE TO A	TAKAHASHI, YOSHIMI

				RECORDING TAPE	
<u>11190703</u>	Not Issued	41	07/27/2005	Plastic semiconductor package having improved control of dimensions	TAKAHASHI, YOSHIMI

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="takahashi"/>	<input type="text" value="yoshimi"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3640	compress\$3 with mold\$3 with (encapsulat\$4 cap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 07:20
L4	239	1 same (IC (integrated adj circuit) (devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 07:25
L5	26	4 and (roll\$3 with mold\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/01 07:26